



Attorney's Docket 013341-000019

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Jeffrey C. Leung et al.

Application No. 10/065,280

Filed: September 30, 2002

Title: Barbed Sutures

Group Art Unit: 3724

Examiner:

Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT UNDER 37 CFR §1.115

Please amend the application filed herewith as set forth below:

In the specification:

Please replace the paragraph [0150] with the following rewritten paragraph:

[0150]

Table 7E (size 3-0 barbed suture)

Measurement	Units	Average	Standard Deviation	Ratio of D, L, or P over Suture Diameter (0.292 mm)
cut angle Θ	degrees	166	1.651	not applicable
cut depth D	mm	0.107	0.007	0.37
cut length L	mm	0.443	0.042	1.52
cut distance P	mm	0.956	0.079	3.27
spirality angle α	degrees	not tested	not applicable	not applicable

Table 7F (size 3-0 barbed suture)

Measurement	Units	Average	Standard Deviation	Ratio of D, L, or P over Suture Diameter (0.292 mm)
cut angle Θ	degrees	164	2.055	not applicable
cut depth D	mm	0.106	0.006	0.36
cut length L	mm	0.395	0.042	1.35
cut distance P	mm	0.959	0.074	3.28
spirality angle α	degrees	7.329	0.547	not applicable

TECHNOLOGY CENTER R3700

DEC - 6 2002

RECEIVED